

# ARROWHEAD ALARM PRODUCTS

# CATALOGUE


## ISSUE 12



344b Rosedale rd, Albany, Auckland, NZ  
ph. 09-414-0085      fax. 09-414-0088

[www.aap.co.nz](http://www.aap.co.nz)

- 1 - ALARM KITS
- 2 - ALARM PANELS
- 3 - ALARM KEYPADS
- 4 - ALARM PANEL ACCESSORIES
- 5 - PIEZO, STROBE AND SIRENS
- 6 - INDOOR DETECTION DEVICES
- 7 - OUTDOOR DETECTION
- 8 - GLASSBREAK/SEISMIC DETECTORS
- 9 - MICROWAVE DETECTORS
- 10 - REID SWITCHES
- 11 - WIRELESS DETECTORS
- 12 - PENDANTS/TRANSMITTERS
- 13 - RADIO RECEIVERS AND DECODERS
- 14 - ELSEMA
- 15 - MONITORING AND CELLULAR
- 16 - MEDICAL & EMERGENCY
- 17 - ACCESS CONTROL & INTERCOMS
- 18 - GATE AUTOMATION
- 19 - CCTV
- 20 - FIRE ACCESSORIES
- 21 - BATTERIES
- 22 - CABLE
- 23 - CONTROL, RELAYS AND TIMERS
- 24 - LENSES AND BRACKETS
- 25 - PLASTIC ENCLOSURES
- 26 - PLUG PACKS
- 27 - POWER SUPPLIES 12VDC
- 28 - POWER SUPPLIES 24VAC
- 29 - POWER SUPPLIES 24VDC
- 30 - TOOLS



# ESL KIT'S



KIT INCLUDES:

- ELITE S LITE CONTROL PANEL
- PLUS CABINET WITH TRANSFORMER
- 2 SWAN QUAD PET IMMUNE PIR'S
- SS-1C EXTERNAL SIREN
- PS209R INTERNAL SIREN
- 100 METER ROLL OF 4 CORE CABLE
- 7.5 A/H 12VOLT SLA BATTERY
- SIMPLE INSTALLATION GUIDE
- PLUS THE KEYPAD YOU SELECT



ESL KIT-1

comes with: E16LED KP  
+ALL KIT ITEMS LISTED ABOVE



ESL KIT-2

comes with: KP-LED-OEM ST  
+ALL KIT ITEMS LISTED ABOVE



ESL KIT-3

comes with: ELITE S LCDKP  
+ALL KIT ITEMS LISTED ABOVE



ESL KIT-4

comes with: KP-LCD-ST7 S  
+ALL KIT ITEMS LISTED ABOVE



ESL KIT-6

comes with: KP-ICON  
+ALL KIT ITEMS LISTED ABOVE



ESL KIT-7

comes with: KP-ICON-OEM  
+ALL KIT ITEMS LISTED ABOVE

# ESL TRX KIT

KIT INCLUDES:

- ELITE S LITE CONTROL PANEL
- PLAS CABINET WITH TRANSFORMER
- TRX KEYPAD
- 2 TRX PIR'S
- 2TRX PENDANT'S
- TRX EXTERNAL
- TRX TRANSCEIVER
- 3A/H 12VOLT SLA BATTERY
- PS209R INTERNAL SIREN



ESL TRX KIT

KIT ITEMS LISTED ABOVE



TRX TRANSCEIVER

When hardwired to an Elite S series control panel this board will allow all these 2-way wireless products to control and be controlled by the panel.



TRX KEYPAD-A

Full 2-way wireless LCD ICON display keypad updated from panel in real time. Run up to 8 keypads on the system. With 230V in-wall mains PSU and 2 x CR2450 Batterys



TRX KEYPAD-B

Full 2-way wireless LCD ICON display keypad updated from panel in real time. Run up to 8 keypads on the system. With C cell in-wall Battery pack



TRX EXTERNAL

2-way wireless external siren strobe unit. Runs up to 3 years on a single C size lithium battery. Flash lamp or chirp siren for arm & disarm indication. Fully supervised. 104dB.



TRX INTERNAL

2-way wireless internal sounder. Up to 3 years on a single C size lithium battery. Fully supervised, provide door chime from wireless call point or full alarm tones at 104dB.



TRX OUTPUT

Battery powered 2-way wireless relay output, takes commands from the Elite S to operate 2 doors or gates via key code, zone inputs, time zone or hand held transmitter.



TRX PIR

Low current 2-way wireless Swan quad element PIR detector fully supervised. Pet friendly.



TRX REED

2-way wireless reed switch for securing doors and windows. Indicates open or closed status to the control panel. Hard wired input



TRX SMOKE

Photo electric 2-way wireless VST smoke detector, built in 85dB sounder




TRX PENDANT

Hand held 4 button 2-way wireless transmitter for arming disarming and output control.

# ELITE S LITE PANEL



- INCLUDES:
- ELITE S LITE CONTROL PANEL
  - PLAS CABINET WITH TRANSFORMER
  - RESISTOR PACK
  - PLUS THE KEYPAD YOU SELECT




ELITE S LITE-1

comes with: E16LED KP  
+ALL ITEMS LISTED ABOVE



ELITE S LITE-2

comes with: E16LED KP-C  
+ALL ITEMS LISTED ABOVE



ELITE S LITE-3

comes with: ELITE S LCDKP  
+ALL ITEMS LISTED ABOVE




ELITE S LITE-4

comes with: KP-LCD-ST7 S  
+ALL ITEMS LISTED ABOVE



ELITE S LITE-6

comes with: KP-ICON  
+ALL ITEMS LISTED ABOVE



ELITE S LITE-7

comes with: KP-ICON-OEM  
+ALL ITEMS LISTED ABOVE



ELITE S LITE C/U

ELITE S LITE PCB IN METAL CABINET  
WITH TAMPER & NO KEYPAD





ELITE S LITE-PCB

ELITE S LITE MANUFACTURED PCB



ELITE S C/U

COMPLETE ELITE S PANEL IN METAL CABINET (NO KEYPAD)



ELITE S PLC/U

COMPLETE ELITE S IN PLASTIC CABINET (NO KEYPAD)



ELITE S-PCB

ELITE S PANEL MANUFACTURED PCB



ELITE 64DC/U

ELITE 64 IN A CABINET



ELITE 64-PCB

ELITE 64 MANUFACTURED PCB



XPAND 32DC/U

COMPLETE XPAND 32 IN METAL CABINET (NO KEYPAD)



XPAND 32-PCB

XPAND 32 MANUFACTURED PCB

### 3 - ALARM KEYPADS



E16LED KP

COMPLETE ELITE 16LED KEYPAD  
(137 x 124 x 28)



KP-ICON

AAP Icon LCD keypad with time and  
temp display (137 x 124 x 28)



KP-ICON-OEM

OEM Icon LCD keypad with time and  
temp display (134 x 88 x 24)



ELITE S KP

BLUE LED GRAPHICS FOR V6 AND  
ELITE S PANELS (137 x 124 x 28)



ELITE S LCDKP

ELITE S LCD KEYPAD (137 x 125 x 29)



ELITE LCD-KP

AAP LCD KEYPAD use on AC2, 64, V6  
and V8 panels (137 x 125 x 29)



KP-LCD-ST7

LCD RUNNER KEYPAD FOR ELITE S  
LARGE KP (0031650) (146 x 134 x 30)



KP-LCD-ST7 S

LCD RUNNER KEYPAD FOR ELITE S  
SMALL (0031640) (130 x 85 x 25)



KP-LCD-ST7OEM

ST OEM LCD KP (134 x 88 x 24)



TRX KEYPAD-A

Full 2-way wireless LCD ICON display  
keypad updated from panel in real time.  
Run up to 8 keypads on the system.  
With 230V in-wall mains PSU and 2 x  
CR2450 Batterys



TRX KEYPAD-B

Full 2-way wireless LCD ICON display  
keypad updated from panel in real time.  
Run up to 8 keypads on the system.  
With C cell in-wall Battery pack



PW READER

PROX READER W/O KEYS (0031022)  
(121 x 46 x 21)



PW READER 2

2 BUTTON ELITE S PROX READER  
(0031020) (121 x 46 x 21)



PW READER-AAPNZ

PW READER FULL KEYPAD  
OUTDOOR WITH AAP MEMBRANE  
(121 x46 x 21)



ACRYLIC PLATE

SMALL ACRYLIC PLATE FOR PW  
READER 10MM LASER CUT BLK



MON KEYBD-U

UNIVERSAL MONITOR ARMING  
STATION FOR ALERT & ELITE (117 x  
76 x 28)



## 4 - ALARM PANEL ACCESSORIES



TRX TRANSCEIVER

When hardwired to an Elite S series control panel this board will allow all these 2-way wireless products to control and be controlled by the panel.



TRX OUTPUT

Battery powered 2-way wireless relay output, takes commands from the Elite S to operate 2 doors or gates via key code, zone inputs, time zone or hand held transmitter.



OUTPUTX4

4 X RELAY OUTPUT EXPANDER  
COMPATIBLE WITH ALL ELITE  
SYSTEMS & RX-OCTA (102 x 59 x 18)



VOICE BD STD

VOICE BOARD 240 SECOND  
STANDARD MODULE (85 x 48 x 15)



SPEECH PROG/AU

PROGRAMMER FOR ELITE SPD



RX-16 MF349

BUS CONTROLLED MULTI  
FREQUENCY 303, 433 & 915MHZ  
RECEIVER (101 x 65 x 18)



RM-0001A KIT

2 x 4 Button 433Mhz remotes and a RX-16 MF349



RM-8003A KIT

2 x 4 Button 303Mhz remotes (no cover) and a RX-16 MF349 (101 x 65 x 18)  
ALSO AVAILABLE IN 915Mhz  
RM-8003B KIT



RM-8006A KIT

2 x 4 Button 303Mhz remotes and a RX-16 MF349 (101 x 65 x 18)  
ALSO AVAILABLE IN 915Mhz  
RM-8006B KIT




ARR14

KEYPAD BUSS LOOM 300MM



ARR15

KEYPAD BUSS LOOM 1500MM



EEPROM BD-U

UNIVERSAL DATA TRANSFER BOARD COMPATIBLE WITH ALL ELITE AND MEDICO SYSTEMS (50 x 15 x 10)



SERIAL BD

ABS BOXED SERIAL BOARD



USB D-LINK

USB DIRECT CONNECT CABLE FOR ELITE SYSTEMS, COMES WITH AAP ULD SOFTWARE



MODEM 56K-P

ACTIONTEC 56K MODEM FOR REMOTE CONNECTION WITH ELITE SYSTEMS



RS232-BD

SERIAL INTERFACE BOARD TO CONNECT TO ELITE S BUSS



WEIGAND-IF

WEIGAND INTERFACE. Enables Weigand Devices to work on the Elite S panel range



DSL008 2+ ADSL

Complete ADSL 2+ Line Filter (65 x 40 x 22)



WT1010NZ

GSM Cellular dialer unit (NOT telepermit)



CS-47NZ

CS47 Cellular Back up Unit - Telepermit approved product



LUX

12-24V AC/DC ADJUSTABLE LIGHT LEVEL CONTROL BOARD FOR LDR WITH BUILT IN TIMER OPTION (86 x 71 x 25)



LDR SENSOR

LDR IN A PDL PLATE FOR LUX (116 x 75 x 20)



LDR SENSOR IP65

LDR IN AN IP65 BOX FOR LUX (65 x 60 x 40)



ELITE LID

STEEL LID FOR ELITE BOX



ELITE BOX

ELITE CABINET(NO LID OR TAMP BRACKET)



ELITE F/KIT

FLUSH KIT FOR ELITE BOX



BOX ASS

ASSEMBLED BOX, LID, TRANS,  
FUSED T/BLOCK



ELITE TAMP KIT

ELITE RESISTOR TAMPER KIT  
for Metal Cabinet



CRSHPW002

CROW PW-4/8 PLASTIC BOX



PLAS CABINET

PRE ASSEMBLED PW4/8 PLASTIC  
BOX (WITH TRANS,T/BLK)



PLAS TAMP KIT

Tamper Kit for Plastic Cabinet



ELITE TRANS

1.4A TRANSFORMER 17VAC



WARNING STICKR

RED/WHITE WARNING STICKER  
OUTDOOR

## 5 - PIEZO, STROBES AND SIRENS



EK105

Top Hat Piezo (86 x 42)



EK105-2T

COMBO TOP HAT PIEZO/CHIME



PS209

12v Surface Mount Internal Piezo (54 x 47)



PS209-R

PS209 PIEZO WITH ROUND FLUSH PLATE (76 x 59)



PS209-R2T

COMBO FLUSH MOUNT PIEZO/CHIME.



PS209-F

120 DB PIEZO ON PDL STYLE FLUSH PLATE (114 x 70 x 57)



TRX INTERNAL

2-way wireless internal sounder. Up to 3 years on a single C size lithium battery. Fully supervised, provide door chime from wireless call point or full alarm tones at 104dB.



ES102

8 OHM HORN SPEAKER (87 x 106)



KS50

SIREN HI POWERED



SPL-50

12V RED STROBE - SMALL



SPL-50B

12V BLUE STROBE - SMALL



	LED LIGHT	RED LED LIGHT BOARD with 32 LED's
	LED LIGHT-F	FLASHING RED LED LIGHT BOARD with 32 LED's
	LED LIGHT BLUE	BLUE LED LIGHT BOARD with 32 LED's
	LED LIGHT-F BLUE	FLASHING BLUE LED LIGHT BOARD with 32 LED's
	RED LAMP ASS	Red Lamp Assembly Complete (Comes with screws & Gasket)
	BLUE LAMP ASS	Blue Lamp Assembly Complete (Comes with screws & Gasket)
	SS-1C	POLY CARB SIREN/STROBE COMPACT (200 x 114 x 65)
	TRX EXTERNAL	2-way wireless external siren strobe unit. Runs up to 3 years on a single C size lithium battery. Flash lamp or chirp siren for arm & disarm indication. Fully supervised. 104dB.
	SAT-PLS	SPIRIT WHITE/BLUE-POLYCARBONATE SATELLITE
	MEB/12	(A131005) MEB/12 8-16V BUZZER (12 x 7)
	2S3120L	LEADED 9-15V PIEZO SIREN
	SIREN DRIVER	SIREN BD FOR HORN SP.
	SAT-PCB	SMD COMPLETED SAT BOARD

## 6 - INDOOR DETECTION DEVICES



SWAN QUAD

SWAN QUAD ELEMENT PET FRIENDLY PIR. Also available with normally open contacts =SWAN QUAD N/O



IR80

SIEMENS 12K PET PIR IR80B



GENIUS 10

GENIUS DUAL PIR outdoor sensor with NO & NC contacts



IR100B

MIRROR OPTIC 20KG PET PIR



SWAN 1000S

SWAN 1000 MICROWAVE/PIR 9.9GHz



SWAN 1000-O

SWAN 1000 OCCUPANCY SENSOR microwave / PIR 10.525GHz



IR120C

SWISSTEC PIR 40KG PET



CRTL360

TALON 360 DEG PIR

## 7 - OUTDOOR DETECTION



CRDDOO

DOUBLE AND DUAL O/D PIR



EDS-2000 DUO

QUAD PIR AND MICROWAVE  
OUTDOOR SENSOR



EDS-3000 TRIO

DOUBLE QUAD PIR AND  
MICROWAVE OUTDOOR SENSOR



FOCUS RX/TX

IR BEAM RX/TX C/W KFM/2  
MOUNTING BOX upto 20m



LINEAR

DEA 12-24vAC/DC SURFACE MOUNT  
POINT TO POINT BEAM upto 20m



LINEAR B

DEA 12-24vAC/DC SURFACE MOUNT  
POINT TO POINT BEAM easy fix model  
the IR TX unit is battery powered upto  
20m



104LUX

DEA ADJUSTABLE SURFACE MOUNT  
POINT TO POINT BEAM upto 20m



IR1000EXL

Reflectorised 10mtr outdoor single  
beam point to point inc SS bkt



CAB-60T

CROW 60MTR(OUTDOOR) TWIN  
BEAM POINT TO POINT SET



CAB-75T4Q

4 CHANNEL 75 METER QUAD BEAM  
SENSOR



CAB-100T4

4 CHANNEL 100M TWIN BEAM  
SENSOR



CAB-150T

CROW 150MTR (OUTDOOR) TWIN  
BEAM



JN-DCA-20

Point to Point 20M Infrared Photobeam,  
Solar Powered, Wireless (433MHz)



JN-DCA-50

Point to Point 50M Infrared Photobeam,  
Solar Powered, Wireless (433MHz)



JN-DCA-200

Point to Point 200M Infrared  
Photobeam, Solar Powered, Wireless  
(433MHz)



JN-P01

SOLAR BOOST POWER SOURCE  
FOR JN-DCA SERIES OF BEAMS



JN-RL-S

Solar Repeater for JN DC Beams



LD-30

LOOP DETECTOR CONTROL  
MODULE 12V (longer detection range)

MD2010

LOOP METAL DETECTOR



CP2-100

CONTROL GROUND PROBE 6-31VAC  
8-46VDC

## 8 - GLASSBREAK/SEISMIC DETECTORS



CRGB TESTER

GLASS BREAK TESTER



CRGBDII

GLASSBREAK / VIBRATION  
DETECTOR

GM730

GM730 Seismic Detector (Direct  
Replacement for GM530)

GMXP0

(277 273) Mounting Plate for  
GM31/35/36





SWAN PGB

PET PIR SHOCK/GLASS BREAK  
DETECTOR



NSP1

Vibration Analyzer, Requires 1 or more  
VIB100 Sensors



VIB100

Nessensor Vibration Sensor.  
Compatible with NSP1 & Elite panel  
range



VIB-2000

Shock / Vibration Sensor 10-16V

## 9 - MICROWAVE DETECTORS



SWAN 1000S

SWAN 1000 MICROWAVE/PIR 9.9GHz



SWAN 1000-O

SWAN 1000 OCCUPANCY SENSOR  
microwave / PIR 10.525GHz



SWAN 2000AM

ANTIMASKING PET PIR &  
MICROWAVE DETECTOR



EDS-2000 DUO

QUAD PIR AND MICROWAVE  
OUTDOOR SENSOR



EDS-3000 TRIO

DOUBLE QUAD PIR AND  
MICROWAVE OUTDOOR SENSOR

EDS-BRACKET

BRACKET FOR ESD2000



SRX360

S 2.4GHZ DUAL TECH 360 DEGREE  
PIR / MW DETECTOR

SRX360 X

X 10.525GHZ DUAL TECH 360  
DEGREE PIR / MW DETECTOR

## 10 - REED SWITCHES



132WH

SURFACE REED SW-SPDT-WHITE  
130VDC 50mA max 19mm Gap Self  
adhesive or screw

142SP

FLUSH REED SW-SPDT  
130VDC 50mA 12mm Gap

220SP

STEEL DOOR CONTACT NC  
130VDC 50mA 37mm Gap Dia.25mm

39RSP-WH

STND SURF CC CONTACT-WHITE  
130VDC 50mA 25mm Gap

41SP-WH

SURF.CONTACT SPDT-WHITE  
130VDC 50mA 30mm Gap

90SP

MINI-SURFACE REED SW  
130VDC 50mA 15mm Gap



B-127

TAMPER SWITCH WHITE FOR PANEL



BP-30

SURFACE MOUNT REED SWITCH  
Self 130VDC 50mA 19mm Gap  
adhesive or screw

BP-33

HEAVY DUTY REED SWITCH 130VDC  
50mA 57mm Gap

BP-50

FLUSH MOUNT REED SWITCH  
130VDC 50mA 12mm Gap

400SP

FLUSH REED SWITCH  
130VDC 50mA 50mm Gap

PP

29" X 15 " PRESSURE PAD (736mm x  
381mm)

SP-3000A

Reed Switch Wide Gap Mini OHD  
Contact 2.25" Gap Adjustable Magnet

## 11 - WIRELESS DETECTORS



TRX PIR

Low current 2-way wireless Swan quad  
element PIR detector fully supervised.  
Pet friendly.

DFW-915

PET FRIENDLY SUPERVISED  
916.5MHZ WIRELESS PIR  
(Freewave Protocol)  
*replacement for DMP-915*



DFW-433

PET FRIENDLY SUPERVISED 433MHZ  
WIRELESS PIR (Freewave  
Protocol)  
*replacement for DMP-433*



DFW-303

PET FRIENDLY SUPERVISED 303MHZ  
WIRELESS PIR (Freewave  
Protocol)  
*replacement for DMP-303*



DMP-915

NON-SUPERVISED 916.5MHZ  
WIRELESS PIR, (Merlin Protocol)  
also available in 303 & 433MHz models



DMP-CHIME

BATTERY POWER PIR WITH BUZZER  
Fitted with a Curtain Lens (DOOR  
MINDER)



FW-P3609F

FREEWAVE 360 WIRELESS  
DETECTOR 915MHZ



TRX REED

2-way wireless reed switch for securing  
doors and windows. Indicates open or  
closed status to the control panel. Hard  
wired input



FW-MAG9F

FREEWAVE 915MHZ RADIO REED  
SWITCH



FW-VIB9F

FREEWAVE VIBRATION SENSOR  
915MHZ



JN-DCA-20

Point to Point 20M Infrared Photobeam,  
Solar Powered, Wireless (433MHz)



JN-DCA-50

Point to Point 50M Infrared Photobeam,  
Solar Powered, Wireless (433MHz)



JN-DCA-200

Point to Point 200M Infrared  
Photobeam, Solar Powered, Wireless  
(433MHz)



JN-P01

SOLAR BOOST POWER SOURCE  
FOR JN-DCA SERIES OF BEAMS



TRX SMOKE

Photo electric 2-way wireless VST  
smoke detector, built in 85dB sounder



VST-FW-915

SUPERVISED 916.5Mhz, 9v Battery  
Operated Wireless Smoke Detector  
(freewave Protocol)



VST-S588H-W

303Mhz, 9v Battery Operated Wireless  
Smoke Detector



VST-S588H-W-433

433Mhz, 9v Battery Operated Wireless  
Smoke Detector



VST-HEAT-915

Thermal Rate of Rise Wireless Heat  
Detector 915Mhz



## 12 - PENDANTS/TRANSMITTERS



TRX PENDANT

Hand held 4 button 2-way wireless transmitter for arming disarming and



RM-8003A

4 button black & chrome Remote  
303.825Mhz (no cover)  
*ALSO AVAILABLE IN 915Mhz*  
*RM-8003B*



RM-8003A KIT

2 x 4 Button 303Mhz remotes (no cover)  
and a RX-16 MF349 (101 x 65 x 18)  
*ALSO AVAILABLE IN 915Mhz*  
*RM-8003B KIT*



RM-8006A

4 button black & chrome Remote  
303.825Mhz (with slider)  
*ALSO AVAILABLE IN 915Mhz*  
*RM-8006B*



RM-8006A KIT

2 x 4 Button 303Mhz remotes and a RX-  
16 MF349 (101 x 65 x 18)  
*ALSO AVAILABLE IN 915Mhz*  
*RM-8006B KIT*



RM-0001A

4 button black and chrome Remote  
434Mhz



RM-0001A KIT

2 x 4 Button 433Mhz remotes and a RX-  
16 MF349



SX-TR04

303MHZ 4CH BLACK REMOTE  
PENDANT (CAN BE CODED ALIKE)



SX-TR04/433

433MHZ 4CH BLUE SATIN FINISH  
PENDANT (CAN BE CODED ALIKE)



CODING

Coding handheld remotes alike



FW-RMTB9F

FREEWAVE BLACK REMOTE 915MHZ



MEDI TX-303-SN

Water Proof Medical Transmitter in 303  
Mhz, Comes as a kit with the options of  
either being used as an around the  
neck pendant, a Wrist Watch style or  
screwed to the wall on its clip base. (SN  
protocol)



MEDI TX-915-SN

Water Proof Medical Transmitter in 915  
Mhz, Comes as a kit with the options of  
either being used as an around the  
neck pendant, a Wrist Watch style or  
screwed to the wall on its clip base. (SN  
protocol)



115-1A

Single Button 303Mhz AE Protocol  
Waterproof Pendant (58 x 31 x 11)



115-1S

Single Button 303Mhz SN Protocol  
Waterproof Pendant (58 x 31 x 11)



115-CHAIN

115 SILVER NECK CHAIN & KEY RING



AE-PENDANT

CAPD01W AE-TX WHITE



SX-PD

WATERPROOF 304MHZ MEDICAL  
PENDANT (50 x 35 x 10)



TX-1/303

single button 303Mhz transmitter in IP65  
box, with battery



TX-1/433

single button 433Mhz transmitter in IP65  
box, with battery



TX-1/916.5

single button 916.5Mhz transmitter in  
IP65 box, with battery



TX-LIGHT/303

single channel 5-15 volt 303Mhz  
transmitter encased in plastic box with  
wire tales



TX-LIGHT/433

single channel 5-15 volt 433Mhz  
transmitter encased in plastic box with  
wire tales



TX-LIGHT/915

single channel 5-15 volt 915Mhz  
transmitter encased in plastic box , 3  
Wire model, 2 modes Continuous or  
momentary transmission



TX-OCTA

8 CHANNEL 915Mhz, FIXED  
TRANSMITTED IN BOX (118 x 78 x 31)



TX-OCTA PCB

8 CHANNEL FIXED TRANSMITTER  
MANUFACTURED PCB Features the  
ability to transmit multiple inputs  
simultaneously (87 x 71 x 22)

# 13 - RADIO RECEIVERS AND DECODERS



RX-1 MF349

1-CHANNEL STANDALONE MULTI FREQUENCY 303, 433 & 915MHz RECEIVER (101 x 65 x 18)



RX-2 MF349

2-CHANNEL STANDALONE MULTI FREQUENCY 303, 433 & 915MHz RECEIVER (101 x 65 x 18)



RX-16 MF349

BUS CONTROLLED MULTI FREQUENCY 303, 433 & 915MHz RECEIVER (101 x 65 x 18)



TRX TRANSCEIVER

When hardwired to an Elite S series control panel this board will allow all these 2-way wireless products to control and be controlled by the panel.



ABS BOX

(CA1008)ABS RECEIVER BOX



RX-1 DECODER

SINGLE CHANNEL FW/MERLIN 303, 433 & 915MHz DECODER (101 x 65 x 18)



RX-DEC/FW-4

4-Channel Decoder Board for Freewave and Generic radio devices



RX-DECODER

4 CHANNEL RX RELAY BOARD (RX-16 NEEDED TO WORK)



RX-CHIME

BOXED RX-1/MF WITH PIEZO AND PLUG PACK



DESSPK

COMPACT DOOR CHIME SOUNDER PLUS 10MTR CABLE



RX-OCTA

2-CH 915Mhz RECEIVER FOR TX-OCTA, WITH DATA BUS FOR EXPANSION



RX-27

27Mhz LONG RANGE RECEIVER FOR ELITE/ALERT BUSS\

## 14 - ELSEMA

### 433MHz GIGALINK TX



GLT43301

1 CHANNEL 433MHZ HAND HELD TRANSMITTER



GLT43302

2 CHANNEL 433MHZ HAND HELD TRANSMITTER



GLT43303

3 CHANNEL 433MHZ GIGALINK TRANSMITTER



GLT43304

4 CHANNEL HAND HELD TRANSMITTER



GLT43308

8 CHANNEL GIGALINK 433MHZ HANDHELD TRANSMITTER



GLT4330112E

1 CHANNEL FIXED TRANSMITTER



GLT4330812E

8 CHANNEL FIXED TRANSMITTER

### 433MHz GIGALINK RX



GLR43301

1 CHANNEL RECEIVER 433MHZ



GLR43301240

1 CHANNEL MAINS RECEIVER 433MHZ



GLR43302

2-CHANNEL 433MHZ GIGALINK RECEIVER



GLR4330312

3 CHANNEL RECEIVER 433MHZ



GLR4330324

3 CHANNEL 433MHZ GIGALINK RECEIVER



GLR4330412

4 CHANNEL 12V RECEIVER 433MHZ





GLR4330424

4 CHANNEL 24V RECEIVER 433MHZ



GLR43308 12R

8 CHANNEL 433MHZ GIGALINK RECEIVER WITH RELAY OUTPUTS

### 433MHz ANTENNA'S



ANT433S

433Mhz Antenna Standard 35cm Long with Cable and SMA Connector



ANT433M

94CM Long ANTENNA 433 MHZ - With SMA Connector

### 27MHz GIGALINK TX



GLT2701

GIGALINK SINGLE CHANNEL HAND HELD TX WITH BATTERY



GLT2702

ELSEMA GIGALINK 2 CH HAND HELD TX WITH BATTERY



GLT2703

ELSEMA GIGALINK 3 CH HAND HELD TX WITH BATTERY



GLT2704

GIGALINK 27MHZ 4 CHANNEL TRANSMITTER



GLT2708

8 CHANNEL TRANSMITTER WITH CASE



GLT271208E

8 CHANNEL GIGALINK TRANSMITTER WITH METAL CASE

### 27MHz GIGALINK RX



GLR271240

GL2701240 RECEIVER, 240V, 10A 1CH



GLR270412

4 CHANNEL 12V AC/DC GIGALINK 4 RELAY RECEIVER





GLR2704-24

GLR2704-24V GIGALINK 4 RELAY RECEIVER



GLR2708

GIGALINK 8 CHANNEL RECEIVER MODULE LONG RANGE

### 27MHz STANDARD TX/RX



FMT-401

27Mhz 1ch hand held transmitter High power (90 x 58 x 22)



FMT-402

27mHZ 2 BUTTON HIGH POWERED HAND HELD TX (90 x 58 x 22)



FMT-404

4 CHANNEL HIGH POWERED HAND CONTROLLER (90 x 58 x 22)



FMT-202DA

27M DUAL ACCESS 2 CH TX WITH BATTERY (91 x 58 x 22)



FMT-312E

27mHZ ELSEMA TRANSMITTER IN ALLOY CASE (132 x 61 x 36)



FMR-212T

27Mhz 10-28vAC/DC with timer controlled relay output



FMTR-2713E

12V 27mHZ ELSEMA REPEATER IN BOX (180 x 135 x 75)

### 27MHz ANTENNA'S



27M ANT

Std antenna assy for L/R TRANS or RX-27

27M ANT-H

HIGH GAIN 1 METER LONG 27MHZ WHIP ANTENNA



27M BASE

27M BASE+4MTR RG58CU+PL259  
PLUG

27M BASE-ANT

27M ANTENNA BASE (BASE ONLY NO  
CABLE)

27M-BKT

1.5MM Stainless Steel L Universal  
Bracket

FMT POUCH

LEATHER POUCH FOR FMT-301,302  
AND 304

FMT-LEX

LEXAN LABEL FOR REMOTES

## 15 - MONITORING AND CELLULAR



CS-47NZ

CS47 Cellular Back up Unit - Telepermit  
approved product

WT1010NZ

GSM Cellular dialer unit (NOT  
telepermit)

WT1010 SMS PACK

kit includes special relay board,  
connection cable and paperwork, This  
boards gives the WT-1010NZ the ability  
to Send and Receive TXT messages

RTU5015

Cellular Gate Opener. This unit can  
have upto 64 phone numbers loaded  
into memory, when a you call the  
RTU5015 using caller ID the unit  
confirms its an authorized number and  
trigger its output. It also has 2 inputs that  
can send SMS messages to 2 numbers.

DSL008 2+ ADSL

Complete ADSL 2+ Line Filter (65 x 40 x  
22)



DS1990A-F5

VIDEX READ ONLY I BUTTONS FOR PULSESTAR READER



PS-048

VIDEX PULSESTAR 48K READER

PSD-F00

VIDEX PULSESTAR TWIN DOWNLOADER CRADLE

16 - MEDICAL & EMERGENCY



MEDIVOX-9TX

Voice Recording Medical Alarm Dialler, Full Duplex 2 Way Voice, 915Mhz with MEDI TX-915-SN Pre Loaded



SX-PD

WATERPROOF 304MHZ MEDICAL PENDANT (50 x 35 x 10)



MEDI TX-303-SN

Water Proof Medical Transmitter in 303 Mhz, Comes as a kit with the options of either being used as an around the neck pendant, a Wrist Watch style or screwed to the wall on its clip base. (SN protocol)



MEDI TX-915-SN

Water Proof Medical Transmitter in 915 Mhz, Comes as a kit with the options of either being used as an around the neck pendant, a Wrist Watch style or screwed to the wall on its clip base. (SN protocol)



115-1A

Single Button 303Mhz AE Protocol Waterproof Pendant (58 x 31 x 11)



115-1S

Single Button 303Mhz SN Protocol Waterproof Pendant (58 x 31 x 11)



AE-PENDANT

CAPD01W AE-TX WHITE



115-CHAIN

115 SILVER NECK CHAIN &amp; KEY RING



MEDICO ADSL2 CABLE

ADSL FILTER TELEPHONE CABLE FOR MEDICO



MEDICO PLUGPACK

300MA AC PLUGPACK



BT EXTENSION

100MM MALE - FEMALE Telecable EXTENSION



MEDICO TELECABLE

TELEPHONE CABLE FOR MEDICO 510/AP



WEB555

PANIC BUTTON WITH KEY RELEASE SPDT BEIGE COLOUR

## 17 - ACCESS CONTROL & INTERCOMS



ELITE S PPKIT-A

ELITE S ACCESS CONTROL KIT FOR ALUMINUM DOOR



ELITE S PPKIT-W

ELITE S ACCESS CONTROL KIT FOR ALUMINUM DOOR



CPT-DH16A-12DT

Architrave Size Outdoor Keypad IP65 Dual Voltage 12-24V, built in Prox Reader, 2 Output's, 1010 User Codes and/or Prox Tags, 2 REX Inputs, Backlight



CPT-DH16A-20T

Flush Box Size Outdoor Keypad IP65  
Dual Voltage 12-24V, built in Prox  
Reader, 2 Output's, 1010 User Codes  
and/or Prox Tags, 2 REX Inputs,  
Backlight



AC2

2-DOOR STANDALONE ACCESS  
CONTROLLER,  
500 USER CODE SLOTS  
+500 PROX TAG SLOTS  
or 500 RADIO USER SLOTS with  
addition of a RX-16MF349 receiver



AC2 KIT

AC2 & PW READER AAPNZ



AC2-LEAD

PRE-MADE PC SERIAL CABLE FOR  
AC2 & RS-232 BD



PW READER

PROX READER W/O KEYS (0031022)  
(121 x 46 x 21)



PW READER 2

2 BUTTON ELITE S PROX READER  
(0031020) (121 x 46 x 21)



PW READER-AAPNZ

PW READER FULL KEYPAD  
OUTDOOR WITH AAP MEMBRANE  
(121 x46 x 21)



ACRYLIC PLATE

SMALL ACRYLIC PLATE FOR PW  
READER 10MM LASER CUT BLK



PROX CARD

PROX CARD 86mmX54mmX1mm



PROX EM4100

EM4100 TUMBLER PROX KEYTAG  
GREY

PRESCO TAGS

PRESCO PROX KEY TAGS



EM4102

20mm CLEAR DISC PROX TAG



AT1-PCB

AT1 TIMER BOARD, 11 different timer modes, 4 timing ranges, 1 second to 21 hours, 12-24V AC/DC operation, 10A Relay output. (90 x 48 x 20)



AT1B

AT1 in ABS plastic Box



CPT595TS

AUDIO ONLY SAC5T-K1 gate stn &  
MT9T-K1 Audio Handset 2 WIRE, SD5B  
PSU 2-Wire Audio system + 2-Wire for  
control

CPT-KIT-B3

Intercom Kit includes: 1 x 3" Small  
Hands Free Colour Monitor(CPT-MON-  
3), 1 x Champagne gate station with  
colour camera(CPT-GATE-B) & 1 x Din  
Rail Power. LCC dual gate station series  
Supply





CPT-KIT-B7

Intercom Kit includes: 1 x 7" Large Hands Free Colour Monitor(CPT-MON-7), 1 x Champagne gate station with colour camera(CPT-GATE-B) & 1 x Din Rail Power. LCC dual gate station series



CPT-KIT-A5

Intercom Kit includes: 1 x 5.8" Slim Hands Free Colour Monitor(CPT-MON-5), 1 x Keypad gate station with colour camera(CPT-GATE-A) & 1 x Din Rail Power Supply. LCC dual gate station series



CPT-KIT-A7

Intercom Kit includes: 1 x 7" Large Hands Free Colour Monitor(CPT-MON-5), 1 x Keypad gate station with colour camera(CPT-GATE-A) & 1 x Din Rail Power Supply. LCC dual gate station series



CPT-KIT-E7

Intercom Kit includes: 1 x 7" Large Hands Free Colour Monitor(CPT-MON-5), 1 x Stainless Steel Keypad gate station with colour camera(CPT-GATE-E) & 1 x Din Rail Power Supply. LCC dual gate station series



CPT-GATE-A

Silver Video & Audio Gate Station, with Backlit Access Control keypad built in for upto 40 users for LCC dual gate station series (180 x 76 x 60mm)



CPT-GATE-B

Champagne Video & Audio Gate Station, for LCC dual gate station series (130 x 50 x 40mm)



CPT-GATE-C

Sliver Video & Audio Gate Station, for LCC dual gate station series (132x 95 x 45mm)



CPT-GATE-D

Stainless Steel Video Gate Station (LCC dual gate station series)



CPT-GATE-E

Brushed Steel Keypad Gate Station (LCC dual gate station series)



CPT-MON-0

Audio only Hands Free indoor intercom, for LCC dual gate station series (160 x 122 x 40mm)



CPT-MON-3

Small Indoor Monitor 3" TFT for LCC dual gate station series (190 x 112 x 42mm)



CPT-MON-5

Slim Indoor Monitor 5.8" TFT for LCC dual gate station series (220 x 110 x 29mm) *Also Available in Black*



CPT-MON-7

Large Indoor Monitor 7.0" TFT Silver for LCC dual gate station series (239 x 174 x 38mm)



CPT-SD5B

video intercom DIN RAIL PSU 230V, 14.5V 1300MA (87 x 89 x 61)



CPT-SD5T

audio intercom DIN RAIL PSU 230V, 11-15V 200MA (87 x 89 x 61)



CPNT

WHITE EMERGENCY DOOR RELEASE (87 x 87 x 54)



CPRG

CALLPOINT REPLACEMENT GLASS  
(43 x 73 x 2)

DWS200

RESETTABLE GLASS BREAK WHITE



CQR KEY

REPLACEMENT KEY FOR CQR-FP2  
CALL POINT

WEIGAND-IF

WEIGAND INTERFACE. Enables  
Weigand Devices to work on the Elite S  
panel range

ROM-SER2W

SCRAMBLER KP-WEIGAND OUTPUT



ROM-SMS2

CG1075 SURFACE MNT KIT for  
codeguard KP

WEL1911

illuminated EXIT BUTTON FLUSH  
MOMENTARY IP65 STAINLESS STEEL

EB-02

Brushed stainless PRESS TO EXIT  
BUTTON rectangle (119 x 39 x 27)



ABK-804BLUE

Pushbutton Illuminated request to exit  
S/S Water Resistant (88 x 88 x 40)



WEL2220

STAINLESS STEEL EXIT BUTTON  
WITH MUSHROOM GREEN PUSH  
BUTTON



JDY-003

DROP BOLT SLIM CASE DOOR POS  
O/P VARIABLE DROP TIM



YB-600

Drop Bolt Fail Secure with Key Override



YB-700A

Drop Bolt Fail Safe Slim DPS Timer



YB-700B

Drop Bolt Fail Secure Slim DPS Timer



YD-602

Wall Mount magnetic Door Holder with  
100mm extension and release button



YD-603

Wall Mount magnetic Door Holder with  
release button



YD-606

Floor Mount right angle magnetic Door  
Holder with release button



EML858

12v DC 280kg flush mount MAG CLAMP 234mX48.5mm



EML878

12/24vDC 500kg MAGCLAMP DPS



YM-500(LED)

Single Mag 1200lbs Bond Sensing



YM-500W

Single Mag 1200lbs Water Resistant



DSW-04A

ELECTRIC STRIKE LOCK FOR ALUMINIUM FRAME



DSW-05

ELECTRIC STRIKE FOR WOODEN FRAME



YS-138NC-S

ANSI Electric Strike Fail Safe DPS



YS-138NO-S

ANSI Electric Strike Fail Secure DPS



109

GROUND CATCH FOR VIRO LOCK



109A

SIDE MOUNT CATCH FOR VIRO LOCK



110D

Electric Gate Lock with double European cylinder



ABK-350L

L Bracket for 800kg Mag Lock Inward Opening



ABK-350UL

U Bracket for 800kg Mag Lock (Glass Door)



ABK350ZL

ZL Bracket for 800kg Mag Inward Door



ABK-500L

L Bracket for 1200kg Mag Lock Inward opening



ABK-500ZL

ZL Bracket for 1200lb Mag Inward Door



ABK-700

Drop Bolt Bracket For Glass Door (Frameless)



DWD30

CABLE PROTECTOR WITH PLASTIC ENDS S/S 6.2 DIAMETER 300MM LENGTH



DWM300

CABLE PROTECTOR WITH METAL BOXES S/S INNER DIA-8MM 300MM LENGTH



## 18 - GATE AUTOMATION



302/24

24VDC SCREW DRIVE ACTUATOR  
FOR GATES UP TO 2MTR



302/24L

24VDC SCREW DRIVE ACTUATOR  
LONG STROKE



356

SCREW DRIVE 230V ACTUATOR  
LONG STROKE WITH LIMIT  
SWITCHES



358

ELECTROMECHANICAL RAM  
STROKE 520MM WITH ROD COVER



352

230VAC ELECTROMECHANICAL RAM  
STROKE 320MM WITH ROD COVER



603

230VAC LINEAR GATE ACTUATOR, 2  
WAY BLOCKING



605

230VAC LONG STROKE ACTUATOR  
WITH BLOCKING



501

HINGED ARM GATE ACTUATOR  
WITH LIMIT SWITCHES NO ARM




501/24

500 SERIES ACTUATOR 24VDC WITH  
LIMIT SWITCHES NO A



560A

DEA 500 SERIES ARTICULATED  
ALUMINIUM ARM



560BD

RIGHT HAND RAIL ARM FOR DEA 500  
SERIES ACTUATORS



560BS

LEFT HAND RAIL ARM FOR DEA 500  
SERIES ACTUATORS



403E

SLIDING GATE  
MOTOR/CONTROLLER(400KG)




402/24

( 3/24RR ) 400KG 24VDC ROLLER  
MOTOR BUILT IN CONTROLLER ETC



801

800KG SLIDING GATE DRIVE



18RR

230v OPERATOR FOR SLIDING  
GATES UP TO 1500KGS



111

NYLON GEARED RACK FOR  
401(1METRE)



113

STEEL GATE RACK X 1M

	369	3M U-SECTION GATE TRACK FOR SLIDING GATES
	392080	80MM U-SECTION GATE WHEEL
	392100L	100MM U-SECTION GATE WHEEL
	215I	DEA ghost stainless steel foundation box, Actuator not included
	GHOST 200	IN GROUND TORQUE GATE ACTUATOR
	PASS/24RR	4 Meter 24v DC Barrier Arm Powder Coated Mild Steel
	STOP 1000	4 MTR DEA BARRIER WITH BUILT IN CONTROLLER
	STOP 1001	6MTR DEA BARRIER WITH BUILT IN CONTROLLER (ARM EXTRA)
COMING SOON	GATE-230	230VAC GATE CONTROLLER



202E-3

230V DEA GATE CONTROLLER



224

CONTROLLER FOR 24V DC 324  
ACTUATOR (224RR)

B400

230VAC GATE CONTROLLER



FOCUS RX/TX

IR BEAM RX/TX C/W KFM/2  
MOUNTING BOX upto 20m

## 19 - CCTV



ITX DVR-4 STMHDD

4 Channel H264 High Res DVR 2CIF  
Playback, 500GB SATA HARD DRIVE,  
NETWORK, VGA, 2 x USB

ITX DVR-4HDD

ITX 4 CH DVR network/VGA/2 x  
USB/SATA/100fps 500GB HARD  
DRIVE

ITX DVR-8HDD

8 CHANNEL DVR +1TB HARD  
DRIVER, Feature 2 x USB ports for  
mouse or video transfer, VGA output,  
H.264, Network,

ITX DVR-16HDD

ITX 16ch DVR ATM1624/H.264/ 1TB  
HDD/ DVD RW/200fps



HUNTING CAM

IP65 covert Camera/DVR With Colour Screen and Battery Box PAL



ITX-TCN56F31P

MINATURE PIN HOLE CAMERA, 600TVL, DIGITAL DAY&NIGHT 3D DNR, 3.7mm



ITX TPD37F21BP

2.9mm lens, Indoor dome camera, 420TVL, day/night, 12V



ITX-TPD55F21BP

High res MINI DOME, 560TVL, DIGITAL DAY NIGHT/3 axis/ DNS/DSS 2.9MM



ITX-TRV37F31F-24P

FIXED 3.6MM, 30 IR LED, DC12V, 420TVL, (WHITE CASE)



ITX-TRV37F61F-24P

FIXED 6MM, 30 IR LED, DC12V, 420TVL, (WHITE CASE)



ITX-TRV37FE1F-24P

FIXED 12MM, 30IR LED, DC12V, 420TVL (WHITE CASE)



ITX-TRV56W41F-24P

4-9MM AUTO IRIS VARIFOCAL LENS 30 IR LED, 600TVL,DC12V O/D (WHITE CASE)



F-AVM725B

WATERPROOF REAR VIEW CAMERA



F-FUM-980DS

SMOKE DETECTOR CAMERA  
COLOUR



SWAN CAM-PAL

PET PIR C/W COLOUR PINHOLE  
CAMERA (123 x 60 x 38)



F-IR-30T

30 MTR INFRARED ILLUMINATOR  
12VDC



F-IR-100T

100 MTR INFRARED ILLUMINATOR  
230VAC



LG-MONITOR

18.5"/47cm TFT LCD ANTI GLARE  
1366x768 RES



AVM-138NZ

RF TV Modulator with plug pack



F-FUM-T10

VIDEO SERVER F-FUM-T10III



VT-430AH

Hi-Performance Video Ground Loop  
Isolator





F-FUM-T1

TWISTED PAIR TRANSMITTER



F-FUM-T5

RJ45 TWISTED PAIR TX or RX 4  
CAMERA in or out 300mtr passive



F-FUM-T5-A

POWERED TWISTED PAIR TX 600mtr  
RJ45 out 4 camera in supplied with plug  
pack



PS121000PP

SWITCH MODE PLUG PACK  
12VDC 1A



PS124160

12V DC 4AMP SWITCH MODE IN-LINE  
POWER PACK



PS24/AC-8

24V AC 8 AMP BOXED



PS24/AC-16

24VAC 16A POWER SUPPLY, 16  
FUSED OUTLETS, MAINS & FUSE  
FAIL OUTPUTS.



FUSED BOARD-8

8-WAY FUSE BOARD (150 x 50 x 23)



FUSED BD-BOXED

8-WAY FUSED BOARD IN PLAS BOX-  
L



RG59T-75

Premade Coax and Twin CCTV Cable Complete with Fittings - 25M



RG59-T

RG59 COAX CABLE WITH TWIN POWER CABLE 100M Roll



RG59-T500

500 MTR ROLL COAX AND TWIN



ARR4-PLUG

ARR4 CABLE WITH 2.1MM DC PLUG



EC-1001

BNC MALE TO RCA FEMALE ADAPTOR (23 x 19)




PA-3655

RCA PLUG TO BNC FEMALE



EC-1007

F- Connector for RG58 or RG6 (20 x 11)



EC-1008

DOUBLE BNC FEMALE CONNECTOR (33 x 12)



EC-1009B

BNC MALE CRIMP (24 x 19)



VT-POWER

2.1mm DC female to rising clamp terminal block connector



CCTV SIGN-L

LARGE VIDEO WARNING SIGN



CCTV SIGN-S

SMALL VIDEO WARNING SIGN



CCTV STICKER

WARNING SURVEILLANCE CAMERAS  
STICKER

## 20 - FIRE ACCESSORIES



VST-LS881AH

12V wired Smoke Alarm with Hush/Test  
button (98 x 47)

TRX SMOKE

Photo electric 2-way wireless VST  
smoke detector, built in 85dB sander

VST-FW-915

SUPERVISED 916.5Mhz, 9v Battery  
Operated Wireless Smoke Detector  
(freewave Protocol)

VST-S588H-W

303Mhz, 9v Battery Operated Wireless  
Smoke Detector



VST-S588H-W-433

433Mhz, 9v Battery Operated Wireless  
Smoke Detector



VST-S5981H

240V HARDWIRED SMOKE ALARM  
WITH 9V DC ALKALINE BATTERY  
BACK UP (114 x 42)



VST-CONTROLLER

This Controller is Designed for the VST-  
S5981H 230v wired smoke detectors.  
Allowing multiply detectors to be wired  
together, giving a single relay output  
monitoring there activations



VST-MP01A

SURFACE MOUNT BASE FOR VST-  
S5981H



FMR-100

Flush Mount Ceiling Ring For NB338's &  
VST-LS881AH Smoke detectors



NB338-4ARB

RESETTING SMOKE DETECTOR +  
BUZZER



VST-HEAT-915

Thermal Rate of Rise Wireless Heat  
Detector 915Mhz



NB323

ROR Thermal Detector



NB338-4B

SMOKE DETECTOR LATCHING &  
BUZZER



CPNT

WHITE EMERGENCY DOOR  
RELEASE (87 x 87 x 54)

CPRG

CALLPOINT REPLACEMENT GLASS  
(43 x 73 x 2)

CQR KEY

REPLACEMENT KEY FOR CQR-FP2  
CALL POINT

DWS200

RESETTABLE GLASS BREAK WHITE



SM-200

AEROSOL SMOKE DETECTOR TEST  
CAN

YD-602

Wall Mount magnetic Door Holder with  
100mm extension and release button

YD-603

Wall Mount magnetic Door Holder with  
release button

YD-606

Floor Mount right angle magnetic Door  
Holder with release button

## 21 - BATTERIES



DM12-1.3PP

POWERPAC 1.3AH 12V BATTERY  
(100 x 45 x 52)



DM12-2

12V 2A/H POWER PAC BATTERY  
170x60x35mm



DM12-3

3A/H 12V POWERPAC BATTERY SLA  
(133 x 68 x 60)



DM12-5A/H

5A/H 12V BATTERY ( 90 X 101 X 70 )



DM12-7.5

POWERPAC 7.5A/H 12V BATTERY  
(150 x 65 x 95)



DM12-12

12V 12A/H BATTERY



DM12-18PP

12V 18A/H POWERPACK BATTERY  
(180 x 75 x 165)



DM12-40

12V 40A/H POWER PAC BATTERY  
H=175 W=195 D=165



DM6V-1.3A

6V, 1.3AHR SLA BATTERY FOR  
SOLAR BELL



	DM6-4	6V 4A/H POWER PAC BATTERY
	DM6-12A	6V 12A BATTERY (150 x 50 x 100)
	3.6V	1/2 AA 3.6V LITHIUM BATTERY used in TRX Reed and FW-MAG
	CR-123AW	3V LITHIUM BATTERY USED IN TRX PIR'S, DFW PIR'S & DMP PIR'S
	ER26500	Li-SOCL2 Energy Type Cylindrical Battery used in TRX Keypad-B, TRX External, TRX Internal & TRX Output
	CR2016	LITHIUM BATTERY CR2016 3 VOLT 90M/AH (2 x in RM Pendant's)
	CR2032 CELL	CR2032 BUTTON CELL BATTERY used in TRX Pendant's
	CR2450	CR2450 Lithium Battery. used in TRX Keypad
	142-004	A23 12V Miniture Battery (10 x 28)
	A27	12V ALKALINE A27 BATTERY (8 X 28)
	142-006	9V BATTERY (48 x 26 x 18)



142-007

9V LITHIUM BATTERY - Single Blister Pack (50 x 26 x 17)



AAA-NIMH

AAA-NIMH Batteries With Tags as used in JNSTAR Beams



AAA

AAA BATTERY (4-PACK)



AA-4

AA BATTERY (4-PACK) GP Super Alkaline Blister Card Pack



C-SIZE

C SIZE BATTERY (2-PACK) PANASONIC



D-SIZE

D SIZE BATTERY (2-PACK) PANASONIC



BC-12500

BATTERY CHARGER SLA 12V/500mA

22 - CABLE



4C2-100

4 CORE 7/0.2 WHITE 100M



6C2-100

6 CORE 7/0.2 WHITE 100M



RG59-T

RG59 COAX CABLE WITH TWIN  
POWER CABLE 100M Roll



RG59-T500

500 MTR ROLL COAX AND TWIN

## 23 - CONTROL, RELAYS AND TIMERS



AT1-PCB

AT1 TIMER BOARD, 11 different timer modes, 4 timing ranges, 1 second to 21 hours, 12-24V AC/DC operation, 10A Relay output. (90 x 48 x 20)



AT1B

AT1 in ABS plastic Box



ELITE RTC

TIME CONTROLLER 8 TIME ZONES, 3 OUTPUTS +MUCH MORE



JDY-311

VALVE CONTROLLER SOLENOID 12V  
LEVER ARM



SP RELAY-1A

1 Amp SPDT Relay board this 12V coil  
(43 x 39 x 18)



SP RELAY-10A

10 Amp SPDT Relay board with 12V coil  
(43 x 39 x 25)



DP RELAY-5A

DPDT Relay with 5 Amp contacts and 12volt coil (43 x 39 x 25)



SP RELAY-AC

24V AC/DC TRIGGER RELAY SPDT 10 Amp Contacts (43 x 39 x 25)



DP RELAY-TRG

5 Amp DPDT 12 volt relay with low current pos/neg trigger input (43 x 39 x 25)



HS-RELAY

This High Current relay when triggered draws power from the Backup Battery, ideal for running big sirens off an alarm panel, without the need for an extra powersupply. (43 x 39 x 25)

## 24 - LENSES AND BRACKETS



SWAN QUAD LENS

LONG RANGE CURTAIN LENS FOR SWAN QUAD, DMP & DFW PIR'S



CRLND002

LONG RANGE LENS FOR D&D PIR



CRLND003

VERTICAL CURTAIN LENS FOR D&D



CRLNG002

LONG RANGE LENS FOR GENIUS 10



CRLNG003

VERTICAL CURTAIN LENS FOR GENIUS



CRLNL001

STANDARD LENS FOR MERLIN/LYNX PIR



CRLNL002

LONG RANGE LENS FOR MERLIN/LYNX PIR



CRLNL003

VERTICAL CURTAIN LENS FOR MERLIN/LYNX PIR



IRS112

IR100B CURTAIN MIRROR 20MTR



IRUM20

WALL MNT BRACKET IR110/120



SWAN BKT

BRACKET ASSEMBLY FOR SWAN  
QUAD (0980530)

## 25 - PLASTIC ENCLOSURES



100G

PVC DEA BOX 265x180x95



100GG

DEA PROTECTION BOX IP55 340 X  
240 X 165 (LARGE)

ABS BOX

(CA1008)ABS RECEIVER BOX



CRSHPW002

CROW PW-4/8 PLASTIC BOX



PLAS BOX-S

PLASTIC BOX 110x110x65MM



PLAS BOX-L

PLASTIC BOX 110x150x75MM



PLAS BOX-XL

PLASTIC BOX 150X220X100



PLAS BOX-XXL

PLASTIC BOX 220X300X100



PLAS BOX-XXXL

220x300x150mm

## 26 - PLUG PACKS



PS12300EP

300MA 12V DC PLUG PACK (WITH AUSTRALIA / NZ PLUG)-Unregulated



PS5500PP

Switch Mode Plug Pack for TRX 2-Way Wireless Range. 5.5Volt 500mA regulated



PS121000PP

SWITCH MODE PLUG PACK  
12VDC 1A

PS124160

12V DC 4AMP SWITCH MODE IN-LINE  
POWER PACK

MEDICO PLUGPACK

300MA AC PLUGPACK



TEPP16V

16V AC 1.5AMP PLUGPACK



BC-12500

BATTERY CHARGER SLA 12V/500mA



## 27 - POWER SUPPLIES 12VDC



DC CONV

20V - 12V DC 250MA CONVERTER



DC CONV-2

20V - 12V 500MA CONVERTER



DC CONV-3

Converter 18-30V AC/DC to 12VDC  
1.25A (Yellow Wires =Input)



DC CONV-4

Converter 10-18V AC/DC to 12VDC  
1.25A (Green Wires =Input)



PSU1 LITE-R

BUDGET POWER SUPPLY 1AMP 13.8  
VOLT MANUFACTURED PCB



PSU1R

PSU1 13.8V 1A MODULE ONLY



PSU1

13.8V 1A PLATED POWER SUPPLY



PSU1B

13.8V 1A BOXED POWER SUPPLY



PSU2

Budget 12V 2A Plated Power Supply,  
with 5 x Fused Outlets, can be fitted in  
an ELITE BOX *sold separately*



PSU3R

PSU3 POWER SUPPLY BOARD WITH  
OUT TRANSFORMER



PSU3

13.8V 3A POWER SUPPLY



PSU4

13.8V 4.75A Plated Power Supply, with battery charging and 5 x Fused Outlets



PSU4B

13.8V 4A, Plus 2A Battery Charging Boxed Power Supply Switch Mode with 5 Fused Outlets and main &amp; Battery Monitoring



PS5-12

12V 5A PLATED POWER SUPPLY (Non Battery BackUp) also available in Metal Cabinet *PS5B-12*

PS5

12V 5A Plated Power Supply with Battery Backup and Mains &amp; Battery Monitoring (excellent for 12 Volt Camera Systems)



PS5B

PS5 13.8V 5A BOXED PLATINUM SERIES PSU



PS18B-12

12VDC 18AMP S/MODE BOXED PSU WALL MOUNT 2UCASE



PS18-12

12VDC 18AMP BOXED SUPPLY WITH 16FUSED OP, MAIN &amp; FUSE FAIL OP (NON BATTERY CHARGING)



MP3118

12VDC 18AMP CURRENT LIMITED SWITCH MODE POWER SUPPLY MODULE (230VAC INPUT)



WELL-LPH-18-12

12V 1.5A Switch Mode Power Supply in IP67 Case, 230VAC Input (140x30x23mm)



WELL-LPV-20-15

15V 1.3A Switch Mode Power Supply in IP67 Case, 100-240VAC Input (116x34x27mm)



PS-RK FRONT

RACK MOUNT FRONT PANEL FOR PS24/AC-16 & PS18



FUSE BD-KIT

2x8-WAY FUSE BD kit to fit PSU3B,PS24/3B.PS5B,PS5B-12



FUDED BOARD-8

8-WAY FUSE BOARD (150 x 50 x 23)



FUDED BD-BOXED

8-WAY FUSED BOARD IN PLAS BOX-L

## 28 - POWER SUPPLIES 24VAC



PS24/AC-8

24V AC 8 AMP BOXED



PS24/AC-16

24VAC 16A POWER SUPPLY, 16 FUSED OUTLETS, MAINS & FUSE FAIL OUTPUTS.



PS-RK FRONT

RACK MOUNT FRONT PANEL FOR PS24/AC-16 & PS18

## 29 - POWER SUPPLIES 24VDC



PSU24/1.5

27.6V 1.5A PLATED POWER SUPPLY



PSU24/1.5B

PSU 1 26.8V 1A BOXED POWER SUPPLY



PSU24/1.5R

PSU1 26.8V 1A MODULE ONLY



PS24/3

PS24/3 26.8V 3A PLATED PLATINUM SERIES PSU



PS24/3B

PS24/3 26.8V 3A BOXED PLATINUM SERIES PSU



MP3114

24VDC 6.5AMP CURRENT LIMITED SWITCH MODE POWER SUPPLY MODULE (230VAC INPUT)



PS24/6.5B

24V 6.5AMP SUPPLY WITH FIRE PANEL CONTROLLED O/PUT

29 - POWER SUPPLIES 24VDC

29 - POWER SUPPLIES 24VDC

## 30 - TOOLS

### 12" BELL

BES-BELL1412

Ø1/4" X 12" BELL HANGERS BITS



BES-BELL3812

Ø3/8" X 12" BELL HANGERS BITS



BES-BELL1212

Ø1/2" X 12" BELL HANGERS BITS

### 24" BELL

BES-BELL1424

Ø1/4" X 24" BELL HANGER'S BITS



BES-BELL3824

Ø3/8" X 24" BELL HANGER'S BITS

30 - TOOLS

30 - TOOLS



BES-BELL1224

Ø1/2" X 24" BELL HANGER'S BIT

BES-BELL5824

Ø5/8" X 24" BELL HANGER'S BITS

### 36" BELL

BES-BELL1436

Ø1/4" X 36" Bell Hangers Bit



BES-BELL3836

Ø3/8" X 36" Bell Hangers Bit

### 24" FLEX

BES-FLX1424

Ø1/4" X 24" HSS Flex Bit Piranhabit-High Speed Steel



BES-FLX3824

Ø3/8" X 24" HSS Flex Bit Piranhabit-High Speed Steel

BES-FLX1224

Ø1/2" X 24" HSS Flex Bit Piranhabit-High Speed Steel

### 36" FLEX

BES-FLX1436

Ø1/4" X 36" HSS Flex Bit Piranhabit-High Speed Steel



BES-FLX3836

Ø3/8" X 36" HSS FLEX BIT  
PIRANHABIT-HIGH SPEED STEEL

BES-FLX1236

Ø1/2" X 36" HSS FLEX BIT  
PIRANHABIT-HIGH SPEED STEEL

### 54" FLEX

BES-FLX1454

Ø1/4" X 54" HSS FLEX BIT  
PIRANHABIT-HIGH SPEED STEEL



BES-FLX3854

Ø3/8" X 54" HSS FLEX BIT PIRANHABIT-  
HIGH SPEED STEEL

BES-FLX1254

Ø1/2" X 54" HSS FLEX BIT  
PIRANHABIT-HIGH SPEED STEEL

### 72" FLEX

BES-FLX1472

Ø1/4" X 72" HSS Flex Bit Piranhabit-High  
Speed Steel



BES-FLX3872

Ø3/8" X 72" HSS FLEXBIT

BES-FLX1272

Ø1/2" X 72" HSS FLEXBIT

### BELL CARBIDE





BES-BELLC1236

Ø1/2" X 36" CARBIDE BELL  
HANGER'S BITS

**FLEX CARBIDE**

BES-FLM1248

Ø1/2" X 48" CARBIDE FLEX BIT



BES-FLM1254

Ø1/2" X 54" CARBIDE FLEX BIT

**FLEX AUGER**



BES-AUG3872

Ø3/8" X 72" Auger Flex Bit Piranhabit  
Auger



BES-FTR13

13' Telescoping Fiberglass Retriever



BES-FIB505

FISH HOOK (UNIVERSAL  
ATTACHMENT FOR 3/16" & 5/32"  
ROD)



BES-FIB518

PULL RING (UNIVERSAL  
ATTACHMENT FOR 3/16" & 5/32")



BES-FIB522

WISP HEAD (UNIVERSAL  
ATTACHMENT FOR 3/16" & 5/32")



BES-MAG6589

Magnafish in-wall wire pulling system



BES-WIM396

WRIST MAGNET



AG-T202

PAL CCTV TESTERS WITH  
POWERPACK





CRGB TESTER

GLASS BREAK TESTER



LOE205/AU

GP HEADLAMP 0.5W LED, 55 hour run time. 3 x AAA batteries included



TORCH LWE201

Weatherproof heavy duty ultrabright LED Torch with 4 AAA batteries



CRIMP TOOL

Crimp Tool for Coax Cable



STRIPPING TOOL

Stripping Tool For Coax Cable



BEANIE GEL

Gel Filled Crimp Connector (Jar 200 pcs)



TAPE BLACK20M

BLACK INSULATION TAPE 20M



TAPE GREEN20M

GREEN INSULATION TAPE 20M



TAPE RED20M

RED INSULATION TAPE 20M



TAPE WHITE20M

WHITE INSULATION TAPE 20M