


Product Catalogue



Intercoms

2019

COMPETITION



Contents Page

Competition Residential Intercoms	3
CPT KIT A8-W	4
CPT KIT A8-B	5
CPT KIT B3	6
CPT KIT B8-W	7
CPT KIT B8-B	8
CPT KIT E8-W	9
CPT KIT E8-B	10
CPT KIT M8-W	11
CPT KIT M8-B	12
CPT-2W-KIT	13
Competition Apartment Intercoms	14
CPT-GATE F KP (2)	15
CPT-GATE F KP (3)	16
CPT-GATE F(4)	17
CPT-GATE F(6)	18
CPT-GATE F(9)	19
Gate Station Shrouds	20
Power Supplies	21
DoorBird Intercoms	22
DB-D101	23
DB-D101S	24
DB-D21DKV	25
DB-D21DKH	26
DB-D203	27
DB-D2101KV	28
DB-D2101KV V4	29
DB-D2101KV HOUSE V4	30
DoorBird Accessories	31

COMPETITION

Residential Intercoms



Colour Video Intercoms

CPT KIT A8-W

CPT-GATE-A



Dimensions: L170mm x W75mm x D60mm

CPT-MON-8W



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image. Touch buttons, plus pager function for communication with other connected monitors

Integrated video/keypad external station for a versatile, aesthetically pleasing access control solution. Press the bell button for instant internal contact, or enter your private entry code

Kit includes:

1x CPT-GATE-A

1x CPT-MON-8W

1x WELL-LPV-20-15

1x SP-RELAY-1A


CPT KIT A8-B

CPT-GATE-A



Dimensions: L170mm x W75mm x D60mm

CPT-MON-8B



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image. Touch buttons, plus pager function for communication with other connected monitors

Integrated video/keypad external station for a versatile, aesthetically pleasing access control solution. Press the bell button for instant internal contact, or enter your private entry code

Kit includes:

1x CPT-GATE-A

1x CPT-MON-8B

1x WELL-LPV-20-15

1x SP-RELAY-1A

CPT KIT B3

CPT-GATE-B



Dimensions: L130mm x W55mm x D40mm

CPT-MON-3



Dimensions: L160mm x W122mm x D28mm

Our most cost effective colour hands-free intercom kit, bringing colour video & 2-Way audio at a great price. View the door/gate station camera, unlock your door/gate and conduct 2-Way conversations all on this simple but functional unit

Discrete door/gate station with call button and white LED illumination for night viewing. Optional 45 degree adaptor bracket also available

Kit includes:

1x CPT-GATE-B

1x CPT-MON-3

1x WELL-LPV-20-15

CPT KIT B8-W

CPT-GATE-B



Dimensions: L130mm x W55mm x D40mm

CPT-MON-8W



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image. Touch buttons, plus pager function for communication with other connected monitors

Discrete door/gate station with call button and white LED illumination for night viewing. Optional 45 degree adaptor bracket also available

Kit includes:

1x CPT-GATE-B

1x CPT-MON-8W

1x WELL-LPV-20-15

CPT KIT B8-B

CPT-GATE-B



Dimensions: L130mm x W55mm x D40mm

CPT-MON-8B



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image. Touch buttons, plus pager function for communication with other connected monitors

Discrete door/gate station with call button and white LED illumination for night viewing. Optional 45 degree adaptor bracket also available

Kit includes:

1x CPT-GATE-B

1x CPT-MON-8B

1x WELL-LPV-20-15

CPT KIT E8-W

CPT-GATE-E



Cut Out Dimensions: L190mm x W95mm x D54mm
Face Plate Dimensions: L195mm x W100mm x D5mm

CPT-MON-8W



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image

The CPT-GATE-E door/gate station has a brushed stainless finish with blue backlit buttons. It combines sleek aesthetics & function with access control and/or communication with up to 4 internal monitors. Note: You can make this gate station surface mount with the CPT-GATE E SHROUD

Kit includes:

1x CPT-GATE-E

1x CPT-MON-8W

1x WELL-LPV-20-15

1x SP RELAY-1A

CPT KIT E8-B

CPT-GATE-E



CPT-MON-8B



Dimensions: L208mm x W150mm x D22mm

Cut Out Dimensions: L190mm x W95mm x D54mm
Face Plate Dimensions: L195mm x W100mm x D5mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image

The CPT-GATE-E door/gate station has a brushed stainless finish with blue backlit buttons. It combines sleek aesthetics & function with access control and/or communication with up to 4 internal monitors. Note: You can make this gate station surface mount with the CPT-GATE E SHROUD

Kit includes:

- 1x CPT-GATE-E
- 1x CPT-MON-8B
- 1x WELL-LPV-20-15
- 1x SP RELAY-1A

CPT KIT M8-W

CPT-GATE-MINI



Dimensions: L110mm
x W100mm x D54mm

CPT-MON-8W



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image

The CPT-GATE-MINI door/gate station is a compact and effective design. It combines sleek aesthetics & function making it perfect for a residential application. Note: You can make this gate station surface mount with the CPT-GATE-MINI SHROUD

Kit includes:

1x CPT-GATE-MINI

1x CPT-MON-8W

1x WELL-LPV-20-15

CPT KIT M8-B

CPT-GATE-MINI



Dimensions: L110mm
x W100mm x D54mm

CPT-MON-8B



Dimensions: L208mm x W150mm x D22mm

Stylish design and uncompromised quality places this monitor at the top of our intercom range. Built in picture memory allows users to review visitors or intruders with a time and date stamped image

The CPT-GATE-MINI door/gate station is a compact and effective design. It combines sleek aesthetics & function making it perfect for a residential application. Note: You can make this gate station surface mount with the CPT-GATE-MINI SHROUD

Kit includes:

1x CPT-GATE-MINI

1x CPT-MON-8B

1x WELL-LPV-20-15

CPT-2W-KIT

CPT-2W-GATE



Dimensions: L132mm
x W95mm x D45mm

CPT-2W-MON



Dimensions: L245mm x W160mm x D20mm

Provides video, audio & door-gate release over just 2 cores. This intercom combines easy installation & limited wiring requirements making it perfect for retrofits

This traditional style blue illuminated door/gate station is modest & easy to use. Just press the bell button for video & audio communication with up to 2 internal monitors. 6 illumination LED's provide the ability to accurately identify your visitor at night

Kit includes:

- 1x CPT-2W-MON
- 1x CPT-2W-GATE
- 1x CPT-2W-PSU

COMPETITION


Apartment Intercoms



Customise To Meet Your
Requirements

CPT-GATE F KP (2)

Multi Apartment Call Station



Dimensions: L280mm x W100mm x D4mm

The CPT-GATE F KP (2) can be used either standalone or added to any of the CPT-GATE F apartment series. This unit integrates an access control keypad, colour video camera & 2 individual call buttons, making it extremely versatile

Whether you are looking for a multi-house or small apartment system this will do the job. Each call button can be assigned to up to 4 internal monitors from our CPT-MON range. Blue backlit keys and changeable name tags are aesthetically pleasing whilst giving you the ability to accurately identify the correct home or apartment

CPT-GATE F KP(3)

Multi Apartment Call Station



Dimensions: L280mm x W100mm x D4mm

The CPT-GATE F KP (3) can be used either standalone or added to any of the CPT-GATE F apartment series. This unit integrates an access control keypad, colour video camera & 3 individual call buttons, making it extremely versatile

Whether you are looking for a multi-house or small apartment system this will do the job. Each call button can be assigned to up to 4 internal monitors from our CPT-MON range. Blue backlit keys and changeable name tags are aesthetically pleasing whilst giving you the ability to accurately identify the correct home or apartment

CPT-GATE F(4)



Multi Apartment Call Station



Dimensions: L280mm x W100mm x D4mm

The CPT GATE F series is designed for gated communities & small apartments. Each call button can be assigned to up to 4 monitors with your house or apartment. Adding the CPT-GATE F KP(3) gives you the option of keypad access control & 3 extra call buttons

Adding one or multiple CPT-GATE F(9) stations makes this system flexible & simple to use. Blue backlit keys and changeable name tags are aesthetically pleasing whilst giving you the ability to accurately identify the correct home or apartment

CPT-GATE F(6)

Multi Apartment Call Station



Dimensions: L280mm x W100mm x D4mm

The CPT GATE F series is designed for gated communities & small apartments. Each call button can be assigned to up to 4 monitors with your house or apartment. Adding the CPT-GATE F KP(3) gives you the option of keypad access control & 3 extra call buttons

Adding one or multiple CPT-GATE F(9) stations makes this system flexible & simple to use. Blue backlit keys and changeable name tags are aesthetically pleasing whilst giving you the ability to accurately identify the correct home or apartment

CPT-GATE F(9)

Multi Apartment Call Station



Dimensions: L280mm x W100mm x D4mm

The CPT GATE F(9) works in conjunction with the CPT-GATE F KP(2), CPT-GATE F KP(3), CPT GATE F(4) or CPT GATE F(6) to expand the existing 3, 4 or 6 call buttons. This gives you the ability to customise & expand the system to your specific requirements

Blue backlit keys and changeable name tags are aesthetically pleasing whilst giving you the ability to accurately identify the correct home or apartment

Gate Station Shrouds



CPT-GATE B SHROUD

Surface mount shroud, compatible with the CPT-GATE-B gate station

Dimensions: L120mm x W55mm x D38mm



CPT-GATE C SHROUD

Surface mount shroud, compatible with the CPT-GATE-C gate station

Dimensions: L130mm x W98mm x D45mm



CPT-GATE E SHROUD

Surface mount shroud, compatible with the CPT-GATE-E gate station

Dimensions: L202mm x W108mm x D54mm



CPT-GATE F SHROUD

Surface mount shroud, compatible with the CPT-GATE-F gate station series

Dimensions: L290mm x W110mm x D50mm

Power Supplies



WELL-LPV-20-15

240V/AC - 15V/DC 1.3A Power Supply
(included in every CPT KIT)

Dimensions: L117mm x W34mm x D26mm



WELL-LPH-18-12

240V/AC - 12V/DC 1.5A Power Supply
(can be used to power electric locks)

Dimensions: L140mm x W30mm x D22mm



CPT-SD5B

240V/AC - 14.5V/DC 1.3A Power Supply
(fits Din Rail mount cabinets)

Dimensions: L87mm x W89mm x D60mm



CPT-PLUGPACK

240V/AC 14.5V/DC 1A Power Supply
(also available in 12V/DC for electric locks)

Dimensions: L72mm x W55mm x D44mm

DoorBird



IP Intercoms



Always Connected

DB-D101

Video & Audio IP Intercom



Dimensions: L157mm x W75mm x D35mm

The DB-D101 combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The gate station also includes an optional motion detector located on the front of the unit if required. Suitable for outdoors this unit will look great next to your front door or gate

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android

DB-D101S

Video & Audio IP Intercom



Dimensions: L157mm x W75mm x D35mm

The DB-D101S combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The gate station also includes an optional motion detector located on the front of the unit if required. Suitable for outdoors this unit will look great next to your front door or gate with a brushed stainless finish

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android

DB-D21DKV

Apartment Video & Audio IP Intercom



Dimensions: L402mm x W156mm x D49mm

The DB-D21DKV combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The station includes an integrated access keypad & call button. Suitable for outdoors this unit is ideal for apartment complexes

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android. At your disposal is the ability to add individual Pin codes, events & schedules. The unit also includes an integrated RFID reader for access control

Note: Check stock availability with AAP Sales Staff

DB-D21DKH

Video & Audio IP Intercom



Dimensions: L256mm x W275mm x D49mm

The DB-D21DKH combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The station includes an integrated access keypad & call button. Suitable for outdoors this unit is ideal for apartment complexes

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android. At your disposal is the ability to add individual Pin codes, events & schedules. The unit also includes an integrated RFID reader for access control

Note: Check stock availability with AAP Sales Staff

DB-D203

IP Intercom Flush Postbox Edition



Dimensions: L350mm x W320mm x D380mm

The DB-D203 combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The gate station also includes an optional motion detector located on the front of the unit if required. Suitable for outdoors this unit will look great next to your front door or gate, having the ability to utilise the letterbox slot

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android

Note: Check stock availability with AAP Sales Staff

DB-D2101KV

Flush Stainless IP Intercom



Dimensions: L350mm x W129mm x D50mm

The DB-D2101KV combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The station includes an integrated access keypad & 1 call button. Suitable for outdoors this unit is ideal for domestic residences

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android. At your disposal is the ability to add individual Pin codes, events & schedules. The unit also includes an integrated RFID reader for access control

Note: Check stock availability with AAP Sales Staff

DB-D2101KV V4

Flush Stainless IP Intercom (Salt Water Resistant)



Dimensions: L350mm x W129mm x D50mm

The DB-D2101KV V4 combines ease of use & convenience with both audio & video push notifications directly to your smartphone. The station includes an integrated access keypad & 1 call button. Suitable for outdoors this unit has been salt water treated to ensure it can handle even the toughest New Zealand conditions is ideal for domestic residences

Connect the unit to either your Wifi or Ethernet connection and enjoy the use of your IP intercom straight to your smartphone. Included is a free App for both Apple & Android. At your disposal is the ability to add individual Pin codes, events & schedules. The unit also includes an integrated RFID reader for access control

Note: Check stock availability with AAP Sales Staff

DB-D2101KV HOUSE V4

Surface Mount housing for DB-D2101KV




The DB-D2101KV has the option of being either surface or flush mount. If you require surface mount installation just add the DB-D2101KV HOUSE V4. This option is perfect for retrofit installs

New Zealand is surrounded by ocean making rust a real concern for most home owners. This surface mount box is stainless steel and IP65 with chrome-nickel steel & molybdenum additive to handle most New Zealand conditions. It is also salt-water resistant

Note: Check stock availability with AAP Sales Staff

DoorBird Accessories



DB-A1061W

Doorbird IP Door Chime White Edition. The chime is an ideal addition to every DoorBird door station. It can be flexibly installed on a wall or the ceiling of your home

Dimensions: L125mm x W119mm x D26mm



DB-A1081

The A1081 DoorBird I/O Door Controller offers tamperproof control of up to three doors or gates over a network. It can be installed in a protected interior area

Dimensions: L122mm x W86mm x D32mm



DB-A1071

The compact and powerful DoorBird 2-Wire Ethernet PoE Converter allows you to transfer network data (Ethernet) and power (PoE) with a simple two-wire cable over long distances

Dimensions: L33mm x W25mm x D88mm



Arrowhead Alarm Products Ltd
www.aap.co.nz